


### EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Susan Mack on February 26, 2009.

Please remove the open parenthesis, "(" in claim 1, line 4 and the closing parenthesis, ")" in claim 1, the third to the last line.

Please insert the following formula into claims 5 and 6 after the phrase "formula (III)" in line 2 of said claims.



Please replace "claim 3" with "claim 1" in claims 5 and 6, line 2.

*Conclusion*

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SUSANNA MOORE whose telephone number is (571)272-9046. The examiner can normally be reached on M-F 8:00-5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Wilson can be reached on (571) 272-0661. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Susanna Moore/  
Examiner, Art Unit 1624

/Brenda L. Coleman/  
Primary Examiner, Art Unit 1624